Contents

Number 1 January 1997

vii **Editorial**

1 ***AtDMC1*, the *Arabidopsis* homologue of the yeast *DMC1* gene: characterization, transposon-induced allelic variation and meiosis-associated expression.** *V.I. Klimyuk and J.D.G. Jones*

15 **T-DNA integration patterns in co-transformed plant cells suggest that T-DNA repeats originate from co-integration of separate T-DNAs.** *M. De Neve, S. De Buck, A. Jacobs, M. Van Montagu and A. Depicker*

31 **Importance of isoforms of starch-branching enzyme in determining the structure of starch in pea leaves.** *K.L. Tomlinson, J.R. Lloyd and A.M. Smith*

45 **Molecular cloning of a new receptor-like kinase gene encoded at the *Lr10* disease resistance locus of wheat.** *C. Feuillet, G. Schachermayr and B. Keller*

53 **Identification of mutants in metabolically regulated gene expression.** *T. Martin, H. Hellmann, R. Schmidt, L. Willmitzer and W.B. Frommer*

63 **Regulation of extent of vegetative development of the maize shoot meristem.** *E. Irish and D. Jegla*

73 **Characterization of a novel eukaryotic ATP/ADP translocator located in the plastid envelope of *Arabidopsis thaliana* L.** *H.E. Neuhaus, E. Thom, T. Möhlmann, M. Steup and K. Kampfenkel*

83 **The cloning of two *Arabidopsis* genes belonging to a phosphate transporter family.** *F.W. Smith, P.M. Ealing, B. Dong and E. Delhaize*

93 **Characterization of proteins that interact with the GTP-bound form of the regulatory GTPase Ran in *Arabidopsis*.** *T. Haizel, T. Merkle, A. Pay, E. Fejes and F. Nagy*

105 **Regulation of flavonol biosynthesis during anther and pistil development, and during pollen tube growth in *Solanum tuberosum*.** *G.J. van Eldik, W.H. Reijnen, R.K. Ruiter, M.M.A. van Herpen, J.A.M. Schrauwen and G.J. Wullems*

115 **Salicylic acid and the plant pathogen *Erwinia carotovora* induce defense genes via antagonistic pathways.** *S. Vidal, I. Ponce de León, J. Denecke and E.T. Palva*

125 ***Ds* excision from extrachromosomal geminivirus vector DNA is coupled to vector DNA replication in maize.** *U. Wirtz, B. Osborne and B. Baker*

137 SHORT COMMUNICATION
DNA fragmentation is regulated by ethylene during carpel senescence in *Pisum sativum*. *D. Orzáez and A. Granell*

145 TECHNICAL ADVANCE
***Ds* elements on all five *Arabidopsis* chromosomes and assessment of their utility for transposon tagging.** *D. Long, J. Goodrich, K. Wilson, E. Sundberg, M. Martin, P. Puangsomlee and G. Coupland*

149 TECHNICAL ADVANCE
FISH physical mapping with barley BAC clones. *N.L.V. Lapitan, S.E. Brown, W. Kennard, J.L. Stephens and D.L. Knudson*

157 TECHNICAL ADVANCE
Development of a simple transient assay for *Ac*/*Ds* activity in cells of intact barley tissue. *D. McElroy, J.D. Louwerse, S.M. McElroy and P.G. Lemaux*

167 **Erratum concerning Volume 10, Number 3, September 1996, pages 469–478, Papp *et al.***

Number 2 February 1997

v **The faces behind the names**

169 **Fungal pathogens secrete an inhibitor protein that distinguishes isoforms of plant pathogenesis-related endo-β-1,3-glucanases.** *K.-S. Ham, S.-C. Wu, A.G. Darvill and P. Albersheim*

181 **Differential expression of a CAK (cdc2-activating kinase)-like protein kinase, cyclins and *cdc2* genes from rice during the cell cycle and in response to gibberellin.** *M. Sauter*

191 **Cloning and expression in *Escherichia coli* of the obtusifoliol 14α-demethylase of *Sorghum bicolor* (L.) Moench, a cytochrome P450 orthologous to the sterol 14α-demethylases (CYP51) from fungi and mammals.** *S. Bak, R.A. Kahn, C.E. Olsen and B.A. Halkier*

203 **Pre-activating wounding response in tobacco prior to high-level ozone exposure prevents necrotic injury.** *B.L. Örvar, J. McPherson and B.E. Ellis*

213 **The ubiquitin-activating enzyme (E1) gene family in *Arabidopsis thaliana*.** *P.M. Hatfield, M.M. Gosink, T.B. Carpenter and R.D. Vierstra*

227 **Cloning and expression of solanidine UDP-glucose glucosyltransferase from potato.** *C.P. Moehs, P.V. Allen, M. Friedman and W.R. Belknap*

237 **Identification of new protein species among 33 different small GTP-binding proteins encoded by cDNAs from *Lotus japonicus*, and expression of corresponding mRNAs in developing root nodules.** *S. Borg, B. Brandstrup, T.J. Jensen and C. Poulsen*

251 **Cysteine synthesis in plants: protein–protein interactions of serine acetyltransferase from *Arabidopsis thaliana*.** *N. Bogdanova and R. Hell*

263 **Transcriptional repression by Oshox1, a novel homeodomain leucine zipper protein from rice.** *A.H. Meijer, E. Scarpella, E.L. van Dijk, L. Qin, A.J.C. Taal, S. Rueb, S.E. Harrington, S.R. McCouch, R.A. Schilperoort and J.H.C. Hoge*

277 **Distinct response of *Medicago* suspension cultures and roots to Nod factors and chitin oligomers in the elicitation of defense-related responses.** *A. Savouré, C. Sallaud, J. El-Turk, J. Zuanazzi, P. Ratet, M. Schultze, A. Kondorosi, R. Esnault and E. Kondorosi*

289 ***BANYULS*, a novel negative regulator of flavonoid biosynthesis in the *Arabidopsis* seed coat.** *S. Albert, M. Delseny and M. Devic*

301 **Identification of an *Arabidopsis* locus required for resistance to turnip crinkle virus.** *D.A. Dempsey, M.S. Pathirana, K.K. Wobbe and D.F. Klessig*

313 **The C-terminal HDEL sequence is sufficient for retention of secretory proteins in the endoplasmic reticulum (ER) but promotes vacuolar targeting of proteins that escape the ER.** *V. Gomord, L.-A. Denmat, A.-C. Fitchette-Lainé, B. Satiat-Jeunemaitre, C. Hawes and L. Faye*

327 **Identification and functional significance of a new class of non-consensus-type plastid promoters.** *S. Kapoor, J.Y. Suzuki and M. Sugiura*

339 SHORT COMMUNICATION
The shoot controls zeatin riboside export from pea roots. Evidence from the branching mutant *rms4*. *C.A. Beveridge, I.C. Murfet, L. Kerhoas, B. Sotta, E. Miginiac and C. Rameau*

347 SHORT COMMUNICATION
Tissue-specific expression of *ATCYS-3A*, a gene encoding the cytosolic isoform of *O*-acetylserine(thiol)lyase in *Arabidopsis*. *C. Gotor, F.J. Cejudo, C. Barroso and J.M. Vega*

Number 3 March 1997

353 **The structures of integration sites in transgenic rice.** *M. Takano, H. Egawa, J. Ikeda and K. Wakasa*

363 **Cloning of a Ca^{2+}-ATPase gene and the role of cytosolic Ca^{2+} in the gibberellin-dependent signaling pathway in aleurone cells.** *X. Chen, M. Chang, B. Wang and R. Wu*

373 **Xyloglucan sidechains modulate binding to cellulose during *in vitro* binding assays as predicted by conformational dynamics simulations.** *S. Levy, G. Maclachlan and L.A. Staehelin*

387 **Fructan of the inulin neoseries is synthesized in transgenic chicory plants (*Cichorium intybus* L.) harbouring onion (*Allium cepa* L.) fructan:fructan 6G-fructosyltransferase.** *I. Vijn, A. van Dijken, N. Sprenger, K. van Dun, P. Weisbeek, A. Wiemken and S. Smeekens*

399 **Induction of 1-aminocyclopropane-1-carboxylate oxidase mRNA by ethylene in mung bean hypocotyls: involvement of both protein phosphorylation and dephosphorylation in ethylene signaling.** *J.H. Kim, W.T. Kim, B.G. Kang and S.F. Yang*

407 **A carbonic anhydrase gene is induced in the nodule primordium and its cell-specific expression is controlled by the presence of *Rhizobium* during development.** *T. Coba de la Peña, F. Frugier, H.I. McKhann, P. Bauer, S. Brown, A. Kondorosi and M. Crespi*

421 **The blue-light receptor cryptochrome 1 shows functional dependence on phytochrome A or phytochrome B in *Arabidopsis thaliana*.** *M. Ahmad and A.R. Cashmore*

429 **Cinnamoyl CoA reductase, the first committed enzyme of the lignin branch biosynthetic pathway: cloning, expression and phylogenetic relationships.** *E. Lacombe, S. Hawkins, J. Van Doorsselaere, J. Piquemal, D. Goffner, O. Poeydomenge, A.-M. Boudet and J. Grima-Pettenati*

443 **The *LS* locus of pea encodes the gibberellin biosynthesis enzyme *ent*-kaurene synthase A.** *T. Ait-Ali, S.M. Swain, J.B. Reid, T.-p. Sun and Y. Kamiya*

455 **Introns act post-transcriptionally to increase expression of the *Arabidopsis thaliana* tryptophan pathway gene *PAT1*.** *A.B. Rose and R.L. Last*

465 **Inducible overexpression of oat arginine decarboxylase in transgenic tobacco plants.** *C. Masgrau, T. Altabella, R. Farrás, D. Flores, A.J. Thompson, R.T. Besford and A.F. Tiburcio*

475 **Identification, subcellular localization, and developmental studies of oleosins in the anther of *Brassica napus*.** *T.-W. Wang, R.A. Balsamo, C. Ratnayake, K.A. Platt, J.T.L. Ting and A.H.C. Huang*

489 **Stilbene synthase gene expression causes changes in flower colour and male sterility in tobacco.** *R. Fischer, I. Budde and R. Hain*

499 **Light modulates the spatial patterns of 3-hydroxy-3-methylglutaryl coenzyme A reductase gene expression in *Arabidopsis thaliana*.** *R.M. Learned and E.L. Connolly*

513 **Identification of a methyl jasmonate-responsive region in the promoter of a lipoxygenase 1 gene expressed in barley grain.** *J. Rouster, R. Leah, J. Mundy and V. Cameron-Mills*

525 **Dynamic reorganization of microfilaments and microtubules is necessary for the expression of non-host resistance in barley coleoptile cells.** *Y. Kobayashi, I. Kobayashi, Y. Funaki, S. Fujimoto, T. Takemoto and H. Kunoh*

539 **Co-ordinated induction of mRNAs for extracellular invertase and a glucose transporter in *Chenopodium rubrum* by cytokinins.** *R. Ehneß and T. Roitsch*

549 **Intra- and extracellular lipid composition and associated gene expression patterns during pollen development in *Brassica napus*.** *P. Piffanelli, J.H.E. Ross and D.J. Murphy*

563 TECHNICAL ADVANCE
Description of 31 YAC contigs spanning the majority of *Arabidopsis thaliana* chromosome 5. *R. Schmidt, K. Love, J. West, Z. Lenehan and C. Dean*

573 TECHNICAL ADVANCE
Green-fluorescent protein fusions for efficient characterization of nuclear targeting. *R.J. Grebenok, E. Pierson, G.M. Lambert, F.-C. Gong, C.L. Afonso, R. Haldeman-Cahill, J.C. Carrington and D.W. Galbraith*

587 TECHNICAL ADVANCE
Transfer RNA-mediated suppression of amber stop codons in transgenic *Arabidopsis thaliana*. *A.S. Betzner, M.P. Oakes and E. Huttner*

597 TECHNICAL ADVANCE
Transactivation of a target gene using a suppressor tRNA in transgenic tobacco plants. *N. Choisne, A. Martin-Canadell and I. Small*

605 TECHNICAL ADVANCE
A glucocorticoid-mediated transcriptional induction system in transgenic plants. *T. Aoyama and N.-H. Chua*

613 TECHNICAL ADVANCE
The green fluorescent protein as a marker to visualize plant mitochondria *in vivo*. *R.H. Köhler, W.R. Zipfel, W.W. Webb and M.R. Hanson*

623 **Erratum concerning Volume 9, Number 4, April 1996, pages 537–548, Ishitani *et al.***

Number 4 April 1997

625 **Nitrite reductase expression is regulated at the post-transcriptional level by the nitrogen source in *Nicotiana plumbaginifolia* and *Arabidopsis thaliana*.** *P. Crété, M. Caboche and C. Meyer*

635 **Generation and maintenance of tandemly repeated extrachromosomal plasmid DNA in *Chlamydomonas* chloroplasts.** *H. Suzuki, J. Ingersoll, D.B. Stern and K.L. Kindle*

649 **Induction of alternative oxidase synthesis by herbicides inhibiting branched-chain amino acid synthesis.** *S. Aubert, R. Bligny, D.A. Day, J. Whelan and R. Douce*

659 **A defect in synapsis causes male sterility in a T-DNA-tagged *Arabidopsis thaliana* mutant.** *B.N. Peirson, S.E. Bowling and C.A. Makaroff*

671 **Accumulation of nitrate in the shoot acts as a signal to regulate shoot–root allocation in tobacco.** *W.-R. Scheible, M. Lauerer, E.-D. Schulze, M. Caboche and M. Stitt*

693 **Interactions between the *ABI1* and the ectopically expressed *ABI3* genes in controlling abscisic acid responses in *Arabidopsis* vegetative tissues.** *F. Parcy and J. Giraudat*

703 **High mobility group proteins HMG-1 and HMG-I/Y bind to a positive regulatory region of the pea plastocyanin gene promoter.** *C.I. Webster, L.C. Packman, K.-H. Pwee and J.C. Gray*

717 **Gene targeting and instability of *Agrobacterium* T-DNA loci in the plant genome.** *E. Risseeuw, M.E.I. Franke-van Dijk and P.J.J. Hooykaas*

729 **Programmed cell death in the root cortex of soybean *root necrosis* mutants.** *R.M. Kosslak, M.A. Chamberlin, R.G. Palmer and B.A. Bowen*

747 **Protein dephosphorylation mediates salicylic acid-induced expression of *PR-1* genes in tobacco.** *U. Conrath, H. Silva and D.F. Klessig*

759 **Tam3 produces a suppressible allele of the *DAG* locus of *Antirrhinum majus* similar to Mu-suppressible alleles of maize.** *M. Chatterjee and C. Martin*

773 **Abscisic acid and jasmonic acid activate wound-inducible genes in potato through separate, organ-specific signal transduction pathways.** *C. Dammann, E. Rojo and J.J. Sánchez-Serrano*

783 **Expression and subcellular targeting of a soybean oleosin in transgenic rapeseed. Implications for the mechanism of oil-body formation in seeds.** *C. Sarmiento, J.H.E. Ross, E. Herman and D.J. Murphy*

797 **Exchanging sequence domains between S-RNases from *Nicotiana alata* disrupts pollen recognition.** *D.M. Zurek, B. Mou B. Beecher and B. McClure*

809 **Transgene-induced silencing of *S*-locus genes and related genes in *Brassica*.** *J.A. Conner, T. Tantikanjana, J.C. Stein, M.K. Kandasamy, J.B. Nasrallah and M.E. Nasrallah*

825 **Targeted misexpression of *AGAMOUS* in whorl 2 of *Arabidopsis* flowers.** *T. Jack, L. Sieburth and E. Meyerowitz*

841 **Mutants of *Arabidopsis thaliana* with pleiotropic effects on the expression of the gene for β-amylase and on the accumulation of anthocyanin that are inducible by sugars.** *S. Mita, N. Murano, M. Akaike and K. Nakamura*

853 **Localization of expression of *KNAT3*, a class 2 *knotted1*-like gene.** *K.A. Serikawa, A. Martinez-Laborda, H.-S. Kim and P.C. Zambryski*

863 SHORT COMMUNICATION
Domain exchanges between KNAT3 and KNAT1 suggest specificity of the kn1-like homeodomains requires sequences outside of the third helix and N-terminal arm of the homeodomain. *K.A. Serikawa and P.C. Zambryski*

871 SHORT COMMUNICATION
Potato guard cells respond to drying soil by a complex change in the expression of genes related to carbon metabolism and turgor regulation. *J. Kopka, N.J. Provart and B. Müller-Röber*

883 SHORT COMMUNICATION
Existence of three regulatory regions each containing a highly conserved motif in the promoter of plastid-encoded RNA polymerase gene (*rpoB*). *H. Inada, M. Seki, H. Morikawa, M. Nishimura and K. Iba*

891 TECHNICAL ADVANCE
Seal-promoting solutions and pipette perfusion for patch clamping plant cells. *F.J.M. Maathuis, A.R. Taylor, S.M. Assmann and D. Sanders*

897 TECHNICAL ADVANCE
Genetic transformation of the actinorhizal tree *Allocasuarina verticillata* by *Agrobacterium tumefaciens*. *C. Franche, D. Diouf, Q.V. Le, D. Bogusz, A. N'Diaye, H. Gherbi, C. Gobé and E. Duhoux*

905 **Erratum concerning Volume 10, Number 6, December 1996, pages 1149–1154, Wu *et al.***

Number 5 May 1997

907 **Increased *Ac* excision (*iae*): *Arabidopsis thaliana* mutations affecting *Ac* transposition.** *P. Jarvis, F. Belzile, T. Page and C. Dean*

921 **Inefficient and incorrect processing of the *Ac* transposase transcript in *iae1* and wild-type *Arabidopsis thaliana*.** *P. Jarvis, F. Belzile and C. Dean*

933 **Alternative processing of the maize *Ac* transcript in *Arabidopsis*.** *D.J. Martin, S. Firek, E. Moreau and J. Draper*

945 **Integration of T-DNA binary vector 'backbone' sequences into the tobacco genome: evidence for multiple complex patterns of integration.** *M.E. Kononov, B. Bassuner and S.B. Gelvin*

959 **Isolation and characterization of chromosome-specific DNA sequences from a chromosome arm genomic library of common wheat.** *B. Liu, G. Segal, J.M. Vega, M. Feldman and S. Abbo*

967 **Intracellular localization of GBF proteins and blue light-induced import of GBF2 fusion proteins into the nucleus of cultured**

***Arabidopsis* and soybean cells.** *W.B. Terzaghi, R.L. Bertekap, Jr. and A.R. Cashmore*

983 **Cell-cycle-regulated transcription of A- and B-type plant cyclin genes in synchronous cultures.** *M. Ito, C. Marie-Claire, M. Sakabe, T. Ohno, S. Hata, H. Kouchi, J. Hashimoto, H. Fukuda, A. Komamine and A. Watanabe*

993 **Development of necrosis and activation of disease resistance in transgenic tobacco plants with severely reduced catalase levels.** *H. Takahashi, Z. Chen, H. Du, Y. Liu and D.F. Klessig*

1007 **Ribosomal transcription units integrated via T-DNA transformation associate with the nucleolus and do not require upstream repeat sequences for activity in *Arabidopsis thaliana*.** *E.-M. Wanzenböck, C. Schöfer, D. Schweizer and A. Bachmair*

1017 **Independent modulation of *Arabidopsis thaliana* polyubiquitin mRNAs in different organs and in response to environmental changes.** *C.-W. Sun and J. Callis*

1029 **Nuclear behavior is defective in the maize (*Zea mays* L.) *lethal ovule2* female gametophyte.** *W.F. Sheridan and B.-Q. Huang*

1043 **Pollen-specific expression of *DEFH125*, a MADS-box transcription factor in *Antirrhinum* with unusual features.** *S. Zachgo, H. Saedler and Z. Schwarz-Sommer*

1051 **Azide-sensitive thylakoid membrane insertion of chimeric cytochrome *f* polypeptides imported by isolated pea chloroplasts.** *R.M. Mould, J.S. Knight, E. Bogsch and J.C. Gray*

1059 **Fast-activating cation channel in barley mesophyll vacuoles. Inhibition by calcium.** *L.I. Tikhonova, I.I. Pottosin, K.-J. Dietz and G. Schönknecht*

1071 **Transgenic rice (*Oryza sativa*) endosperm expressing daffodil (*Narcissus pseudonarcissus*) phytoene synthase accumulates phytoene, a key intermediate of provitamin A biosynthesis.** *P.K. Burkhardt, P. Beyer, J. Wünn, A. Klöti, G.A. Armstrong, M. Schledz, J. von Lintig and I. Potrykus*

1079 ***Pc*MYB1, a novel plant protein containing a DNA-binding domain with one MYB repeat, interacts *in vivo* with a light-regulatory promoter unit.** *M. Feldbrügge, M. Sprenger, K. Hahlbrock and B. Weisshaar*

1095 SHORT COMMUNICATION
Starch synthesis in amyloplasts purified from developing potato tubers. *M. Naeem, I.J. Tetlow and M.J. Emes*

1105 SHORT COMMUNICATION
The G-box and H-box in a 39 bp region of a French bean chalcone synthase promoter constitute a tissue-specific regulatory element. *O. Faktor, G. Loake, R.A. Dixon and C.J. Lamb*

1115 SHORT COMMUNICATION
Expression of a betaine aldehyde dehydrogenase gene in rice, a glycinebetaine nonaccumulator, and possible localization of its protein in peroxisomes. *T. Nakamura, S. Yokota, Y. Muramoto, K. Tsutsui, Y. Oguri, K. Fukui and T. Takabe*

1121 SHORT COMMUNICATION
***adg2-1* represents a missense mutation in the ADPG pyrophosphorylase large subunit gene of *Arabidopsis thaliana*.** *S.-M. Wang, B. Chu, W.-L. Lue, T.-S. Yu, K. Eimert and J. Chen*

1127 TECHNICAL ADVANCE
Identification of members of gene families in *Arabidopsis thaliana* by contig construction from partial cDNA sequences: 106 genes encoding 50 cytoplasmic ribosomal proteins. *R. Cooke, M. Raynal, M. Laudié and M. Delseny*

1141 TECHNICAL ADVANCE
Novel 'dot-blot' assays for glycosyltransferases and glycosylhydrolases: optimization for xyloglucan endotransglycosylase (XET) activity. *S.C. Fry*

Number 6 June 1997

v **Editorial**

1151 MINI-REVIEW
The plant ER: a dynamic organelle composed of a large number of discrete functional domains. *L.A. Staehelin*

1167 **Tryptophan decarboxylase is encoded by two autonomously regulated genes in *Camptotheca acuminata* which are differentially expressed during development and stress.** *M. López-Meyer and C.L. Nessler*

1177 **The phytochrome-deficient *pcd2* mutant of pea is unable to convert biliverdin to IXα to 3(*Z*)-phytochromobilin.** *J.L. Weller, M.J. Terry, J.B. Reid and R.E. Kendrick*

1187 **Subcellular localization of H_2O_2 in plants. H_2O_2 accumulation in papillae and hypersensitive response during the barley–powdery mildew interaction.** *H. Thordal-Christensen, Z. Zhang, Y. Wei and D.B. Collinge*

1195 **Efficient gene targeting in the moss *Physcomitrella patens*.** *D.G. Schaefer and J.-P. Zrÿd*

1207 **Characterization of a DNA-binding protein that interacts with 5′ flanking regions of two fruit-ripening genes.** *S.A. Coupe and J. Deikman*

1219 **Cooperation of two distinct *cis*-acting elements is necessary for the S phase-specific activation of the wheat histone H3 promoter.** *N. Ohtsubo, T. Nakayama, H. Kaya, R. Terada, K. Shimamoto, T. Meshi and M. Iwabuchi*

1227 **Reversible protein phosphorylation regulates the activity of the slow-vacuolar ion channel.** *P.C. Bethke and R.L. Jones*

1237 **Isolation of a novel class of bZIP transcription factors that interact with ABA-responsive and embryo-specification elements in the *Dc3* promoter using a modified yeast one-hybrid system.** *S.Y. Kim, H.-J. Chung and T.L. Thomas*

1253 **A combinatorial role for exon, intron and splice site sequences in splicing in maize.** *J.C. Carle-Urioste, V. Brendel and V. Walbot*

1265 **A homolog of the *Arabidopsis thaliana ERS* gene is actively regulated in *Rumex palustris* upon flooding.** *W.H. Vriezen, C.P.E. van Rijn, L.A.C.J. Voesenek and C. Mariani*

1273 **Induction of plant cell division by beet curly top virus gene *C4*.** *J.R. Latham, K. Saunders, M.S. Pinner and J. Stanley*

1285 **Regulatory elements *in vivo* in the promoter of the abscisic acid responsive gene *rab17* from maize.** *P.K. Busk, A.B. Jensen and M. Pagès*

1297 **Transgenic tobacco plants expressing antisense RNA for cytosolic ascorbate peroxidase show increased susceptibility to ozone injury.** *B.L. Örvar and B.E. Ellis*

1307 SHORT COMMUNICATION
A novel nucleic acid helicase gene identified by promoter trapping in *Arabidopsis*. *W. Wei, D Twell and K. Lindsey*

1315 SHORT COMMUNICATION
Phosphorylation of nuclear proteins directs binding to salicylic acid-responsive elements. *C. Stange, I. Ramírez, I. Gómez, X. Jordana and L. Holuigue*

1325 SHORT COMMUNICATION
An *Arabidopsis thaliana* cDNA complementing a hamster apoptosis suppressor mutant. *P. Gallois, T. Makishima, V. Hecht, B. Despres, M. Laudié, T. Nishimoto and R. Cooke*

1333 SHORT COMMUNICATION
Contrasting patterns in the spread of two seed-borne viruses in pea embryos. *D. Wang and A.J. Maule*

1341 TECHNICAL ADVANCE
A promoter trap for *Chlamydomonas reinhardtii*: development of a gene cloning method using 5′ RACE-based probes. *M.A. Haring and C.F. Beck*

1349 TECHNICAL ADVANCE
Retrofitting YACs for direct DNA transfer into plant cells. *G. Adam, J.A. Mullen and K.L. Kindle*

1359 TECHNICAL ADVANCE
Monoclonal antibodies to barley aleurain and homologs from other plants. *S.W. Rogers, M. Burks and J.C. Rogers*

1369 TECHNICAL ADVANCE
***Agrobacterium tumefaciens*-mediated barley transformation.** *S. Tingay, D. McElroy, R. Kalla, S. Fieg, M. Wang, S. Thornton and R. Brettell*

1377 TECHNICAL ADVANCE
Effectiveness of the bacterial gene *codA* encoding cytosine deaminase as a negative selectable marker in *Agrobacterium*-mediated plant transformation. *H.R.M. Schlaman and P.J.J. Hooykaas*

1387 TECHNICAL ADVANCE
Analysis of monoterpenoids in glandular trichomes of the catmint *Nepeta racemosa*. *L.J. Clark, J.G.C. Hamilton, J.V. Chapman, M.J.C. Rhodes and D.L. Hallahan*

1395 **Author Index**

1403 **Subject Index**